

**COCHIN UNIVERSITY OF SCIENCE AND TECHNOLOGY  
NATIONAL CENTRE FOR AQUATIC ANIMAL HEALTH**



NCAAH/Tender/M.Tech./2025-26/4

08-08-2025

**TENDER NOTICE**

Sealed tenders are invited for the following work.

Tender No	NCAAH/Tender/M.Tech./2025-26/4 dated 08-08-2025
Name of Tender	<i>Supply of Flammable Storage Cabinet with the specifications given below.</i>
Last date of Submission	21/08/2025 11:00 AM
Date of opening	25/08/2025 11:00 AM
Bid Validity	90 days
Tender Form Cost	0.2% of the cost of tender rounded to the nearest multiple of 100, subject to a minimum of ₹400/- and maximum of ₹1500/- + 18% GST
Earnest Money Deposit (EMD)	2.5% of the estimated amount (rounded to the nearest rupees).
How to obtain Tender	<a href="https://cusat.ac.in/tenders#">https://cusat.ac.in/tenders#</a> or <a href="http://www.ncaah.ac.in">www.ncaah.ac.in</a>
Method of Submission of Tender	Sealed Tender with all enclosures should be superscribed with " <b>Tender for Supply of Flammable Storage Cabinet, Last Date: 21/08/2025</b> ". shall be sent through : <b>Speed Post/Registered Post/Courier Service. Tenders will not be accepted by Personal Delivery.</b>
Attachment along with Tender Form	<b>1. Two separate Demand Drafts.</b> <i>One for 0.2% of the cost of tender rounded to the nearest multiple of 100, subject to a minimum of ₹400/- and maximum of ₹1500/- + 18% GST and the second Demand Draft, equivalent to 2.5% of the estimated amount as Earnest Money Deposit.</i> <b>drawn in favour of the Director, National Centre for Aquatic Animal Health, CUSAT payable at State Bank of India, Broadway Branch.</b> <b>2. Copy of the GST Registration Certificate.</b> GST Registration number and Income tax number should also be mentioned in the tender, failing which tenders are liable to be rejected.
Specifications	Details attached

(P.T.O.)

## Technical Specifications for Flammable Storage Cabinet

- The cabinet shall be constructed of double-walled steel with a minimum thickness of 1.2 mm for both inner and outer walls.
- The interstitial space between walls must be air-insulated for enhanced fire resistance as per the manufacturer's proprietary design.
- Exterior finished with corrosion-resistant epoxy powder coating in bright yellow.
- Minimum storage capacity of 340 liters ( $\pm 10\%$ ).
- Supplied with adjustable perforated powder-coated steel shelves, each supporting at least 50 kg.
- Equipped with self-closing, self-latching double doors.
- Doors must include a three-point lockable latching mechanism with a non-sparking handle for enhanced safety.
- Double key set (for a single key lock).
- Cabinet doors must display trilingual warning labels stating "FLAMMABLE – KEEP FIRE AWAY" in English, Hindi, and local language.
- Cabinet must have dual flame arrester vents (top and bottom) with threaded fittings for optional external exhaust connection.
- Must comply with the certifications of international standard.
- Equipped with grounding connector to prevent static buildup.
- Bottom of the cabinet shall include a leak-proof sump of minimum 50 mm depth for spill containment.
- The cabinet must carry valid certification for flammable liquid storage (FM/UL or equivalent).
- OEM authorization certificate must be provided along with the bid.
- Manufacturer's warranty of minimum 3 years.

From	
.....	
.....	
.....	

### GENERAL CONDITIONS:

- i. GST registration number and PAN (income tax), copy of GST registration certificate should be given along with the tender. CUSAT GST NO. is 32AAALC0844J1ZJ. An undertaking attached with the tender documents should be submitted in your letter head along with tender.
- ii. Tender documents should be downloaded from [ncaah.ac.in](http://ncaah.ac.in) and submitted along with two demand drafts-one for 0.2% of the cost of tender rounded to the nearest multiple of 100, subject to a minimum of Rs.400/- and maximum of Rs.1500/- + 18% GST and the second Demand Draft, equivalent to 2.5% of the estimated amount as Earnest Money Deposit, drawn in favour of the Director, National Centre for Aquatic Animal Health, CUSAT payable at State Bank of India, Broadway Branch.


- iii. EMD of the unsuccessful tenderer will be returned after finalization of the tender. EMD of the successful tendered will be adjusted towards the security amount, which will have to be deposited for the satisfactory fulfillment of the contract.
- iv. An Agreement (as given as Annexure in the tender form) is to be executed in Kerala Government Stamp paper for Rs. 200/-.
- v. An amount equivalent to 5% of the total cost of the item is to be given as bank guarantee by the successful tenderer.
- vi. The price quoted should be inclusive of all duties, taxes, delivery, installation, commissioning charges and extended warranty period should be specified.
- vii. After receiving the Purchase Order, the item has to be supplied to the National Centre for Aquatic Animal Health as well as installed and all formalities completed within 4 weeks maximum from the date of Purchase Order, free of cost.
- viii. Apart from the specifications mentioned above, the tender should contain detailed brochures/information sheet of the product should be furnished along with brand name and other necessary certificates like OEM, authorization etc.
- ix. List of customers should be attached along with quotations.
- x. Taxes applicable as per by the Government of India rules.
- xi. The general conditions for this Purchase will be applicable as per the Store Purchase Manual of the Kerala Government.

Please note that as per as per the DSIR registration certificate No. TU/V/RG-CDE(495)/2020 dated 10-09-2020, National Centre for Aquatic Animal Health is entitled for customs duty exemption as it is a research institute. The necessary documents will be issued along with the supply order to the selected firm, as applicable.

Address:

The Director  
National Centre for Aquatic Animal Health  
Cochin University of Science & Technology  
Kochi-682016, Kerala, INDIA



  
The Director,  
National Centre for Aquatic Animal Health

Director  
National Centre for Aquatic Animal Health  
Cochin University of Science & Technology